



# BUCK TREE

Photo courtesy of:  
Dave Katz, Cornell Tree Climbing Institute

**FREE  
SHIPPING**  
on Arborist Products

Use Code:  
**ARBORISTMINI**

BUCKINGHAM  
**BUCK**  
1896



Buckingham Manufacturing Company has proudly served industries with workers who climb wood poles, trees, towers and structures that support electricity and telecommunications equipment for over 120 years. Whether for work above or below ground in these industries, we produce personal protection equipment and specialty tools for work positioning, retrieval, fall restraint, fall restriction, fall arrest and suspension work applications. Most

people do not think about the importance of work performed by Linemen & Arborists every day until the power goes out, the telephone and computer stop working or a tree falls on a house or power line. Our customers maintain and restore services in all types of weather. This catalog is a tribute to these highly trained workers performing dangerous jobs with little recognition!

## BUCK TOUGH

Knowing the dangers of these industries, we make our products Buck Tough. They are designed for rough use and no product is made without thorough

testing and inspection. This includes the raw materials, inprocess manufacturing and the finished product.

## BUCK TESTED

When multiple standards can be applied to a product, Buckingham uses the most stringent standard for compliance. And to make sure we are up to date on standards we are members of ANSI, ASTM and CSA. Buckingham is committed to develop new products for our customers that

are top quality and safe. We will continue to listen to our customers to improve existing products and develop new. Our products will be produced with the utmost attention to quality and safety providing our customers assurance of being Buck Tough and Buck Tested.

## PRODUCT APPLICATION

To help you use this catalog, most products are accompanied by a symbol that indicates whether

the product is intended for fall arrest, work positioning, suspension, retrieval, or fall restraint.



### FALL ARREST SYSTEM

A product specifically designed to arrest a fall from an elevated position.



### RETRIEVAL SYSTEM

Equipment used to evacuate a person from an area in an upright position. Not intended to arrest a fall unless also equipped for fall arrest.



### WORK POSITIONING SYSTEM & WOOD POLE FALL RESTRICTION

Device allows climber to remain at the work position with hands free. It performs a fall restriction function if climber loses contact between gaffs and pole.



### SUSPENSION SYSTEM

Equipment designed to suspend or lower a person to a work site. Not intended to arrest a fall.



### FALL RESTRAINT SYSTEM

Equipment designed to prevent the worker from reaching an area where a free fall could occur.

## MEMBERSHIP IN PROFESSIONAL TRADE ASSOCIATIONS & COMMUNITY INVOLVEMENT

- American Society for Testing and Materials (ASTM)
- American Society of Safety Engineers (ASSE)
- Greater Binghamton Chamber of Commerce
- International Safety Equipment Association (ISEA)
- International Society of Arboriculture (ISA)
- National Association of Manufacturers (NAM)

- National Association of Tower Erectors (NATE)
- Northeast Public Power Association
- Tree Care Industry Association (TCIA)
- United Way
- Canadian Standards Association (CSA)



---

## OUR GUARANTEE

We guarantee the equipment we manufacture to be free from defects in material and workmanship. We will repair or replace any equipment defective which is returned to us. This express guarantee supersedes all other expressed or implied guarantees, obligations or liabilities.

The Essence of the Aforementioned Statement is that Buckingham Mfg. Will:

- Accept new product returns up to one year after shipment if found defective
- Accept new and in resalable condition product up to one year from the date of purchase unless a specially designed product and designated with a "Q" in the product number
- Upon its inspection and discretion, repair or replace defective equipment returned and deemed to be defective. If the defect is found to be a fault of the manufacturing process or materials used in the products manufacture, it will be reworked or replaced at no cost. If the defect is found to be a result of improper use, care storage, etc. and is repairable, it will be reworked at a cost determined and based upon the extent or rework. If the defective equipment is deemed to be un-repairable, it will be returned as received with a memo indicating the product is unsafe for further use and should be replaced. In addition, the defective equipment should be marked to indicate it is unsafe for further use.

---

## SAFETY STANDARD & REGULATIONS

### ANSI Z359

The American National Standards Institute (ANSI) in Z359 establishes requirements for the performance, design, marking, qualification, instruction, training, use, maintenance and removal from service of connectors, full body harnesses, lanyards, energy absorbers, anchorage connectors, fall arresters, vertical lifelines, and self-retracting lanyards comprising personal fall arrest systems. The ANSI Z359 Fall Protection Code currently includes nine standards:

- Z359.0-2012 "Definitions and Nomenclature Used for Fall Protection and Fall Arrest"
- Z359.1-2007 "Safety Requirements for Personal Fall Arrest Systems, Subsystems and Components"
- Z359.2-2007 "Minimum Requirements for a Comprehensive Managed Fall Protection Program"
- Z359.3-2007 "Safety Requirements for Positioning and Travel Restraint Systems"
- Z359.4-2013 "Safety Requirements for Assisted-Rescue and Self-Rescue Systems, Subsystems and Components"
- Z359.6-2009 "Specification and Design Requirements for Active Fall Protection Systems"
- Z359.7-2011 "Qualification & Verification Testing of Fall Protection Products"
- Z359.11-2014 "Safety Requirements for Full Body Harnesses"
- Z359.12-2009 "Connecting Components for Personal Fall Arrest Systems"
- Z359.13-2013 "Personal Energy Absorbers and Energy Absorbing Lanyards"
- Z359.14-2014 "Safety Requirements for Self-Retracting Devices for Personal Fall Arrest & Rescue Systems"
- Z359.15-2014 "Requirements for Single Anchor Lifelines and Fall Arresters for Personal Fall Arrest Systems"

### ANSI A10.32

- A10.32-2012 "Personal Fall Protection Used in Construction & Demolition Operations"

### ANSI Z133

- Z133-2012 "Safety Requirements for Arboricultural Operations"

### OSHA:

Title 29, CFR Chapter XVII, Parts 1910 and 1926. The Occupational Safety and Health Administration (OSHA) has spelled out certain requirements for equipment used in the construction (including power line construction) and telecommunications industries.

- Part 1910.67 (c) (2) (iii); (c) (2) (v); (c) (2) (x) apply specifically to extensible and articulation boom platforms — belting requirements.
- Part 1910.268 (g) applies specifically to telecommunications and personal climbing equipment for use in that industry.
- Part 1910.269 (g) applies to electric power generation, transmission and distribution, Personal Protective Equipment.
- Part 1926.104 applies to safety belts, lifelines and lanyards used primarily in the construction industry.
- Part 1926.453 (b) (2) (iii); (b) (2) (v); (b) (2) (x) apply specifically to aerial lift - belting requirements.
- Part 1926.502 fall protection system criteria and practices.
- Part 1926.954 Electric Power Transmission and Distribution - Personal Protective Equipment.

### CSA Z259

CSA International is a provider of third party product testing and certification services for compliance to national and international standards. The CSA Certification mark, generally required by the Canadian market, indicates that a product has been evaluated by their process (examination, testing and follow-up inspection) and complies to the requirements of the applicable standard for which the product is labeled.

- CSA-Z259.1-05 (R2015) - Body belts and saddles for work positioning and travel restraint
- CSA-Z259.2.2-2014 - Self retracting devices for personal fall-arrest system
- CSA-Z259.10-12 - Full Body Harness
- CSA-Z259.11-05 (R2015) - Energy Absorbers and Lanyards
- CSA-Z259.12-11 - Connecting Components For (PFAS)
- CSA-Z259.14-12 - Fall Restrict Equipment For Wood Pole Climbing.

### ASTM F887

The American Society for Testing and Materials (ASTM) has revised the Edison Electrical Institute (EEI) "Specifications for Linemen's Climbing Equipment" AP-2 1973.

- ASTM F887-13, "Standard Specifications for Personal Climbing Equipment."



Made in the USA



# BUCKINGHAM **BUCK** 1896

**BUCKINGHAM MFG** has proudly served the men and women working in the arborist, electric utility, and numerous other markets for over 120 years. Whether you are working in trees or on poles, Buckingham has been recognized as

the leading innovator in the industries we serve. We are proud to manufacture the safety equipment that those highly-trained and skilled workers rely on to go home to their loved ones at the end of each day.

---

1-800-YES-BUCK

[buckinghammfg.com](http://buckinghammfg.com)

[sales@buckinghammfg.com](mailto:sales@buckinghammfg.com)

[facebook.com/buckinghammfg](https://facebook.com/buckinghammfg)  
[instagram.com/buckingham\\_mfg](https://instagram.com/buckingham_mfg)  
[twitter.com/buckingham\\_mfg](https://twitter.com/buckingham_mfg)  
[youtube.com/buckmfg](https://youtube.com/buckmfg)  
[google.com/+buckinghammfg](https://google.com/+buckinghammfg)

---

# CONTENTS

*This mini catalog is a sampling of the thousands of products we manufacture.  
For our full line, please visit [BuckinghamMFG.com](http://BuckinghamMFG.com)*

- 06** NEW PRODUCTS
- 08** SADDLES/ BELTS
- 14** CLIMBERS/ PADS/  
ACCESSORIES
- 20** FALL PROTECTION/  
CONNECTORS/ RIGGING
- 26** BUCKET TRUCK
- 30** EQUIPMENT BAGS/  
ROPE BAGS
- 36** SAW SCABBARDS
- 38** ROPE SNAPS/  
HARDWARE
- 42** GEAR & ACCESSORIES



Made in the USA

# NEW PRODUCTS



## **BuckLite™ Titanium Tree Climber Kit TBGK95K2V-SG**

Weighing in at only 17 ounces, Buckingham's BuckLite™ Titanium Climbers with Patented GRiP Technology™ bring the best of strength, lightweight functionality, and comfort together in a climber that cannot be found elsewhere on the market.

### **INCLUDES:**

- BuckLite™ Titanium Tree Climbers with Grip Technology™
- Big Buck™ Wrap Pad.
- Black hook and loop climber straps.
- High-Vis magnetic gaff guards.



**New GRiP Technology™ allows for an easier and deeper cut into the tree bark.**



## **Steel Tree Climber Kit SB95K2V-BL**

The Buckingham Steel Tree Climber kit featuring our line of blacked out gear with a hint BuckViz™ Safety Green comes with everything you need for your new climbers! Meets ASTM F887 standard. Manufactured here in America, the Buckingham Steel Tree Climber kit comes with industry leading gear that is proven, durable, and cost-effective.

### **INCLUDES:**

- A popular choice steel tree climber with contoured shank, offset stirrup and a dowel & screw replaceable gaff.
- Hook and Loop foot straps that make putting on your climbers a breeze.
- Big Buck™ Wrap Pad with increased surface area to distribute pressure when climbing.
- Magnetic Gaff Guards in BuckViz™ Safety Green for easy visibility and protection for your gaffs.







**Buck FastStrap™ Quick Connect Climber Foot Straps**  
**21402**

Comfortable, convenient, and adaptable for when you are out in the field. With a hook & loop design for quick and easy adjustments while providing the user an extra tight fit. Easily adapted for use on your regular climbing boots, rubber boots, and winter over boots.



**BuckGuard™ Retractable Gaff Guard (Set of 2)**  
**6910**

Easily attach the BuckGuard™ to the top of your climber sleeve (works with all manufacturers). The split ring on the end of the wire allows for easy replacement. When ready to climb, kick the gaff guards off, and they will retract onto your pads smoothly and easily. Max Retractable length of 22".



**Alta Verde Saddle**  
**179061**

Introducing the all new BuckTree™ Alta Verde saddle! The new Alta Verde saddle is modeled after our popular Ergovation® saddle which brings the best of comfort, durability, fit, and function into a saddle. Designed by arborist for arborist! **FEATURES:** Adjustable rope bridge with paws allowing for multiple connecting possibilities; chainsaw attachment snaps and multiple attachment points; quick connect buckles at the waist and leg straps; lightweight aluminum work positioning D-Rings; full floating suspension ring; 8 durable accessory loops; contoured back/leg padding with sweat-wicking material; abdominal stabilization strap with lumbar back support; fully adjustable waist/leg straps for ideal fit.



**The BuckLaunch™**  
**1027G**

The BuckLaunch™ was specially developed to give you the ability to safely, efficiently and accurately launch throw weights. We know how tough it can be to accurately get your line into the canopy, especially when using the hand tossing method. The BuckLaunch™ is also great with Buckingham's rooftop fall protection system and makes the linemen's life much easier. Manufactured here in the USA the BuckLaunch™ gives you a reliable product that was designed to be easily workable.

**Features:**

- Heights of over 100' can be achieved.
- Unlike other related products on the market, the BuckLaunch™ pouch and tubing can be easily replaced in less than 20 seconds.
- The BuckLaunch™ is easily attached to fiberglass poles. Must be used with heavy duty grade poles.
- The BuckLaunch™ (1027G) comes with base pole & extension pole. Use PN: 1027GH to order head only or for a replacement head.



**Buck Rope Bag**  
**4569G4-150**

Features a drawstring closure top and two large nylon carry handles. Measures 12"D X 15"H. Holds up to 150' of 1/2" rope. New weight rating of 150lbs.



**Buck Rope Bucket**  
**4769G9-150**

With a sturdy construction and convenient drawstring closure. Durable carry handles made from heavy duty nylon. Inner D-rings for easy line access. Clear window pocket.



**BuckShot™ Premium Throwbag**  
**16A-12BG**

The two-color design featuring BuckViz™ Safety Green allows for easier visibility in the canopy. Made from durable Cordura fabric and double stitched with heavy nylon thread. Available in 8oz, 10oz, 12oz, 14oz, and 16oz. options.



**Buck Retrieval Key**  
**57KEY**

The Friction Saver Retrieval Key is used to easily retrieve your friction saver from the ground. The retrieval ring passes through the larger ring (red side) and catches the smaller ring (green side) to release the friction saver.



Made in the USA



ERGOVATION™ is a brand name of Buckingham MFG, developed in conjunction with C.O.R. Ergonomic Solutions.

#### Ergo Pro Saddle 17905

This saddle is the latest edition in the Ergo line and was developed between Buckingham Manufacturing and certified arborist Ed Carpenter and his physical-therapist sibling Dr. Amanda Carpenter. The Ergo Pro fits a range of climbing styles and motions. The bridge is made of durable and strong kernmantle rope, easily interchangeable additional bridges can be added. Includes two steel dee-rings and numerous rigid accessory loops

located in various positions on the saddle, providing endless options of gear storage and customizability. Small accessory carabiners and snaps on the sides are perfect for your handsaw. Strings on back of the saddle allow for storage of a first aid kit. The back and leg pads have moisture-wicking Drilex material so the user remains cool, dry, and comfortable. The Ergo Pro meets the ASTM F887 standard. Available in Small, Medium, Large, & X-Large.



#### Ergo Pro Saddle/Harness 17905H4

Rated for Fall Arrest so it can be used for fall protection in a bucket truck. This combo is ideal for those who like to transition from the bucket to the tree all while keeping you in compliance with OSHA standards. The Ergo Pro was designed to fit a range of climbing styles and motions and is one of our lightest saddles available making this saddle-harness combo extremely versatile and one of the most well-thought-out products on the market.

**An industry leading saddle/harness combo that is great for transferring from the bucket to the tree.**

The two adjustment points on the dorsal pad allow for users with larger necks to adjust out, or in for those with smaller necks. The adjustment feature allows for zero or extremely limited rubbing of the harness webbing on areas of your neck and shoulders and provides near-perfect adaptability for all kinds of body types. The Ergo Pro meets the ASTM F887 standard. Available in Small, Medium, Large, & X-Large.



## MASTER 5.0

### HELPFUL HINT:

When your new Buckingham Master 5.0 is right out of the box and the webbing is still stiff, put your back against a tree and pull straps to tighten your saddle around your waist.

Developed hand-in-hand with the team at ArborMaster and is top-of-the-line tree saddle. The body is padded for maximum comfort. Features 9 stationary-rated attachment points along with two dee rings for anything from chainsaw lanyards to blood stopping kits. A floating bridge provides for

optimum maneuverability, especially in SRT systems. Has stiffer leg pads (to keep pad where you want it). Meets ASTM F887. Batten Seat available.

Available with a tongue buckle: **1490T**



**Master 5.0 Saddle  
1490**

## ERGOVATION™

ERGOVATION™ is a brand name of Buckingham MFG, developed in conjunction with C.O.R. Ergonomic Solutions.

A patented ergonomically designed saddle with a fully modular design for customized fit and comfort with an ergonomically designed back pad to contour the pelvis and support the lower back. Load distributing design for decreased pressure on the pelvis with increased padding in the pelvis and hip

region. Features a waist tensioner and customizable lumbar support for improved fit, abdominal stability and helps maintain optimal posture when climbing. This saddle has 12 different attachment points, the most of any that we offer.

**Ergonomic design, extreme comfort, 12 attachment points; great for removals; most highly developed saddle on the market.**



**Ergovation Saddle  
16906**

## NEW

### Alta Verde Saddle 179061

Introducing the all new BuckTree™ Alta Verde saddle! The new Alta Verde saddle is modeled after our popular Ergovation® saddle which brings the best of comfort, durability, fit, and function into a saddle. Designed by arborist for arborist!

#### FEATURES INCLUDE:

- Adjustable rope bridge with paws allowing for multiple connecting possibilities.
- Chainsaw attachment snaps and multiple attachment points.
- Quick connect buckles at the waist and leg straps. Lightweight aluminum work positioning D-Rings.
- Full floating suspension ring.
- 8 durable accessory loops.
- Contoured back/leg padding with sweat-wicking material.
- Abdominal stabilization strap with lumbar back support
- Fully adjustable waist/leg straps for ideal fit.



Made in the USA



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## ERGO FELLING BELT

ERGOVATION™ is a brand name of Buckingham MFG, developed in conjunction with C.O.R. Ergonomic Solutions.

This belt was designed in conjunction with certified arborist Ed Carpenter and physical-therapist Dr. Amanda Carpenter. Its ergonomic features include added lumbar support with an abdominal stabilizer (which is also keeps sawdust out of your pants) and suspenders to support the load you are carrying. The Ergo felling belt has many storage options, including:

- A chainsaw portage strap ideal for traveling to work site
- Axe storage
- Accessory loops and connection points for things like blood stopping kits, loggers tape,

etc.

- Pouches on the left side of the belt ideal for gas & oil mix, a water bottle, or fire suppression mix;
- Felling wedge pouch with a blood stopper (included) and holders for sharpening files

Other features include reflective strips on the webbing, a drag handle should you need to be removed in an emergency, and the suspenders feature a built-in whistle to meet ANSI's Z133. This product is NATS approved.

**Perfect for felling, line clearance and remote jobs.**



**Ergo Felling Belt  
169071**

## GLIDE LITE

Only weighs **3lbs 9oz!**

The Glide Lite Saddle design emphasizes safety, versatility and comfort with the added benefit of reduced weight. Features: a suspension bridge with an aluminum 'O' ring provides improved lateral movement lighter back pad with wider webbing that disperses support across the entire pad, and aluminum quick connect buckles for waist strap

closure and leg strap buckles. Medium dee rings satisfy both the Arborists partial to large dee rings and those preferring small dee rings. Includes accessory ring and snap, three accessory loops and two accessory rings for storage and blood stopper pouches.

**Durable; light weight; perfect for a full day of work.**



**Glide Lite Saddle  
16903W1**

## ECONOMY

The 1371 Economy saddle has all the benefits of the original economy saddles but with improvements to comfort and functionality such as five accessory loops to stow gear while working aloft. Accessory snaps and ring assembly keeps tools accessible and four small dee rings are available for suspender attachments. Supple coated webbing leg straps to prevent irritation on the legs.

The 1371 saddle with a wide padded leather lined back provides superior comfort and support from the 5½" wide back support constructed with rubberized belting material, 1/4" thick foam, and lined with soft grip grain leather. The seat section consists of 3" wide cotton webbing reinforced with 1¼" nylon and lined with soft top grain leather.



**Economy Saddle  
1371**

## WIDE BACK

Floating dee padded wide back saddle offer the same superior construction as the 3 dee ring padded wide back saddles. Floating dee ring, soft

top grain leather line the 1 3/4" grommet leg straps. A 1 3/4" steel ring and accessory snap on each side.



**Wide Back Saddle  
1373**

## ACCESSORIES



**Blood Stopper  
4600D1Y**

Quickly attaches to any Buckingham saddle or body belt and contains one large blood stopper to control bleeding until the victim can be administered First Aid on the ground. Uses a 3/4" steel dee ring. 3 1/2"W x 5 1/2"H.



**Man Rated Suspenders  
6251**

Easily attaches to your body belt giving you and your tools the support needed. Hi-Vis and ideal for those who carry around heavy tools and hardware. Easily attachable to any body belt. Man-Rated.



**BuckViz™ Ditty Bag  
w/ Snaps: 45702G4S2  
w/ D-ring: 45702D1G4**

With an elastic retainer for equipment. Measures 9"L x 19"H x 4.5"W. Great for storing equipment you want easily accessible. Drainage hole on the bottom allows for easy cleaning and keeps water out.



**BuckViz™ Drawstring  
Closure Pouch  
45703G4**

Easily attach the pouch to your saddle or harness. Measures 9"L x 19"H x 4.5"W. Great for storing and securing equipment you want easily accessible. Drainage hole on the bottom.



Made in the USA



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# DELUXE ARBORIST CLIMBING KIT

## Ergo Pro Saddle

One of our most advanced saddles we have ever created. Numerous rigid accessory loops located in various easily accessible locations. Endless options for gear storage and customization.



## BuckAlloy™ Black Climber Kit

The most cost-effective, lightweight, and durable climber on the market.

## Buck RigidLine

This 7/16" uniline rope lanyard with the BuckGrab™ Adjuster has the same rigidity as a wire core flip line without the metal core.



## XL RopePro Deluxe Bag

For kit and rope storage and comes with a backpack attachment for easier hauling.

## Deluxe Arborist Climbing Kit 17905Q2

Buckingham's new Deluxe Climbing Kit comes with the best of the best. This kit will provide top of the line comfort and is loaded with features. The new BuckAlloy™ Black Tree Climbers are the most cost-effective, lightweight, and durable on the market and the Ergo Pro Saddle is the latest edition in the Ergo line and was developed between Buckingham Manufacturing and certified arborist Ed Carpenter and his physical-

therapist sibling Dr. Amanda Carpenter providing you with an industry leading saddle. If you are an arborist looking for a new setup or someone who wants to learn on the best of the best, then this is the kit for you. Buckingham also has an Economy Kit and Arborist Basic Kit; these kits will have less features and comfort but are great for the climber on a budget.

## INCLUDES:

- **17905 Ergo Pro Saddle:** This saddle is the latest edition in the Ergo line and was developed between Buckingham Manufacturing and certified arborist Ed Carpenter and his physical-therapist sibling Dr. Amanda Carpenter. Designed to fit a Range of Climbing Styles and motions. Numerous rigid accessory loops located in various easily accessible locations. Endless options for gear storage and customizations.
- **A95K1V-BL BuckAlloy™ Black Climber Kit:** At Buckingham, unlike other climber manufacturers on the market, we put safety, comfort, and a quality product first. Manufactured here in America, this Black Climber Kit is the most cost-effective, lightweight, and durable on the market. Features: Buckingham's patented GRIP™ (Gaff Ridge Position) Technology; keeps the gaff pointed toward the heart of the tree; aids in preventing cutouts, allowing for better, more comfortable setting of the foot and arch; whether you are climbing a tree with thick bark or thin bark, the hybrid gaffs, measuring in at 2 7/16", gives the user the convenience to easily climb both.
- **7808R112M6 Buck RigidLine:** This 7/16" uniline rope lanyard with the BuckGrab™ Adjuster has the same rigidity as a wire core flip line without the metal core. Ideal for hitch-hiking and when climbing near energized lines. Features a red wear indicator to alert the user of excess wear.
- **4373 XL RopePro Deluxe Bag:** Water resistant and keeps equipment dry with a rope access port located in the lid with a cap to keep dirt and water out. Ventilation panels provide air circulation and quick glance identification of material. This bag is perfect for the road and can hold up to 500' of rope. Also comes with backpack shoulder straps.



### The Arborist Basic Climbing Kit 1371Q11



Buckingham's new Basic Climbing Kit was put together for the climber who might just be starting off in the industry! This kit gives you a few more perks over the Economy Kit including the improved "C" climber pads with inserts that help prevent chafing and a saddle that gives you more comfort and storage options. The Basic Kit is a great option for someone who is learning the trade and wants trustworthy reliable gear with more comfort than the Economy Kit.

Arborist Basic Climbing Kit includes:

**1371 Improved Economy Saddle:** With five accessory loops to stow gear while working aloft, piggyback snaps and ring assembly keeps tools accessible and four small d-rings are available for suspender attachments.

**SB95059 Steel Climbers:** Features 21391 nylon foot straps. Includes standard length sleeves, model 9204.

**35032 "C" Pad with Insert:** The 'C' pad has also been improved with a new oversized felt liner for additional comfort. The liner edge minimizes chafing on the leg and the metal insert prevents the climber shank from shifting on the calf, reducing irritation. Also has a newly stronger designed metal insert.

**6909M2 Magnetic Gaff Guard:** New strong magnet that keeps the guards securely attached to all manufacturers pole and tree gaffs. Hi-Vis green makes it easy to find in the field.

**7808R112M6 Buck RigidLine:** This 7/16" uniline rope lanyard with the BuckGrab™ Adjuster has the same rigidity as a wire core flip line without the metal core. Ideal for hitch-hiking and when climbing near energized lines.

**4373 XL RopePro Deluxe Bag:** Water resistant that helps keep equipment dry with a rope access port located in the lid with a ca. Has ventilation panels and can hold up to 500' of rope. Also comes with backpack shoulder straps.

### The Arborist Economy Climbing Kit 1380Q3



Buckingham's new Economy Climbing Kit was put together for the climber on a budget! This kit might not have all the comfort and features that some of our other spurs and saddles have but it gives you everything you need to get up in the trees. Great for someone who is learning the trade and wants trustworthy reliable gear. This kit is a great option for someone who is just starting off in the Arborist world and is on a budget.

Economy Basic Climbing Kit includes:

**1380 Economy Saddle:** Featuring 4 D-Rings and a single thick cotton back. This Saddle is lightweight in design and economical without sacrificing quality.

**SB95059 Steel Climbers:** A popular choice steel tree climber that has a contoured shank, offset stirrup and a dowel & screw replaceable gaff. Features 2239 nylon leg straps, 21391 nylon foot straps, and 3122 climber pads.

**6909M2 Magnetic Gaff Guard:** New strong magnet that keeps the guards securely attached to all manufacturers pole and tree gaffs. Hi-Vis green makes it easy to find in the field.

**7808R112M6 Buck RigidLine:** This 7/16" uniline rope lanyard with the BuckGrab™ Adjuster has the same rigidity as a wire core flipline without the metal core. Ideal for hitch-hiking and when climbing near energized lines. Features a red wear indicator to alert the user of excess wear.



Made in the USA



WARNING: Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## 02 CLIMBERS/ PADS/ ACCESSORIES

Photo courtesy of  
Dave Katz, Cornell Tree Climbing Institute



### **BuckAlloy™ Black Tree Climber Kit A95K1V-BL**

After listening to customers who wanted a BuckAlloy™ climber in black, we developed a new matte black version of the already popular standard chrome climber (A95089). The BuckAlloy™ Black climbers are the most durable aluminum climber in the industry and won't break during normal use like we've seen from the field. Other offshore manufacturers put aesthetics and marketing first, not safety and product longevity. One climber, based off of a reptile and vehicle insurance provider, even says that the lifespan of their aluminum climbers is only two years.

Optional long sleeves provide the user with optimum adjustment and not a one-size-fits-all approach like other kits out there.

**KIT INCLUDES:** BuckAlloy™ Black Tree Climbers, Black cushion wrap pads, Black Hook and Loop fastener climber straps, High-Vis magnetic gaff guards.

### **FEATURES AND BENEFITS:**

- GRIP (Gaff Ridge Position) Technology keeps gaff pointed towards the heart of the tree greatly reducing cut outs.
- Whether you are climbing a tree with thick bark or thin bark, the hybrid gaffs, measuring in at 2 7/16", gives the user the convenience to easily climb both.
- Unlike what we have found through testing our competitors climbers, Buckingham climbers do not have any fatigue variation, meaning your left climber is going to be just as reliable as your right climber.
- The BuckAlloy™ Climbers are rated to 350lbs. and exceeds ASTM F887 standards. Buckingham climbers are the only tree climbers on the market that can say this. Other offshore climbers on the market and on tree-focused websites are only rated to 330lbs. and say that "excessively large people" (those over 200lbs. including gear) will "drastically reduce the climbers' lifespan." Their words, not ours.
- Unmatched comfort in an aluminum climber and lightest aluminum climber available.
- Dowel & Screw design allows for easy gaff change out.
- Alloy blend contributes to superior product lifecycle.
- Aluminum Alloy used in transport applications including marine, automotive, and aviation due to its high strength to density ratio.
- The 'T' shaped aluminum ribbed construction adds strength to the climber.



**New GRiP  
Technology™  
allows for an  
easier and  
deeper cut into  
the tree bark.**





**New GRiP Technology™** allows for an easier and deeper cut into the tree bark.

### **BuckLite™ Titanium Climber Kit w/GRiP Technology™ TBGK95K2V-SG**

Weighing in at only 17 ounces, Buckingham's BUCKLITE™ Titanium Climbers with Patented GRiP Technology™ bring the best of strength, lightweight functionality, and comfort together in a climber that cannot be found elsewhere on the market.

BuckLite™ Titanium Tree Climbers were already one of the most popular climbers out, now we have brought the fan-favorite & patented GRIP (Gaff Ridge Position) Technology™ to these climbers!

**KIT INCLUDES:** Lightweight Titanium Tree Climbers, Black cushion wrap pads, Black Hook and Loop fastener climber straps, High-Vis magnetic gaff guards.

#### **FEATURES AND BENEFITS:**

- The only climber set in our product line that includes both GRiP Technology™ and a contoured shank.
- Unmatched comfort in a Titanium climber and lightest Titanium climber available.
- Dowel & Screw design allows for easy gaff change out.
- High Strength-to-Density ratio (Strong and lightweight)
- Corrosion resistant titanium makes these climbers one of the most durable in the market
- BuckLite™ Titanium Tree Climbers are rated to 350lbs and exceeds ASTM F887 standards
- Whether you are climbing a tree with thick bark or thin bark, the hybrid gaffs, measuring in at 2 7/16", gives the user the convenience to easily climb both.

**NEW**



### **Steel Tree Climber Kit SB95K2V-BL**

The Buckingham Steel Tree Climber kit featuring our line of blacked out gear with a hint BuckViz™ Safety Green comes with everything you need for your new climbers! Meets ASTM F887 standard. Manufactured here in America, the Buckingham Steel Tree Climber kit comes with industry leading gear that is proven, durable, and cost-effective.

#### **INCLUDES:**

- A popular choice steel tree climber with contoured shank, offset stirrup and a dowel & screw replaceable gaff.
- Hook and Loop foot straps that make putting on your climbers a breeze.
- Big Buck™ Wrap Pad with increased surface area to distribute pressure when climbing.
- Magnetic Gaff Guards in BuckViz™ Safety Green for easy visibility and protection for your gaffs.



### **BuckAlloy™ Aluminum Tree Climber A95089**

The American-made BuckAlloy™ Aluminum Tree climbers are the most durable and most cost effective lightweight climbers in the industry. While certain competitive climbers out there seem to be

hastily made, our climbers are the result of decades of testing and feedback from the field, which has resulted in the perfect blend of comfort, usability, and cost.



**Made in the USA**



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**BuckAlloy™ Polished Tree Climber w/ Hook & Loop Fastener Straps A95089V**

Features a new hybrid gaff (measuring 2 7/16") and Buckingham's Patented GRiP (Gaff Ridge Position) Technology™ which keeps the gaff pointed at the heart of the tree. GRiP Technology™ also aids in preventing cutouts, allowing for better, more comfortable setting of the foot and arch, and allows the user to climb in a more natural, upright position.

**Also available with tongue buckle foot strap: A95089**

The hybrid gaff also gives the user unmatched comfort as the tip does not sit below the bottom of the stirrup. Includes the patented **21401C** Hook & Loop fastener bottom straps and are rated to 350lbs, exceeding ASTM F887 standards. A dowel & screw design allows for easy gaff change out if needed.



**BuckAlloy™ Matte Tree Climbers A95089-MS**

Features a new hybrid gaff (measuring 2 7/16") and Buckingham's Patented GRiP (Gaff Ridge Position) Technology™ which keeps the gaff pointed at the heart of the tree. GRiP Technology™ also aids in preventing cutouts, allowing for better, more comfortable setting of the foot and arch, and allows the user to climb

in a more natural, upright position. The hybrid gaff also gives the user unmatched comfort as the tip does not sit below the bottom of the stirrup. Includes the nylon bottom straps (**A21391**) and are rated to 350lbs, exceeding ASTM F887 standards. A dowel & screw design allows for easy gaff change out if needed.



**Titanium Tree Climber TB95089**

A popular choice titanium tree climber that has a contoured shank, offset stirrup, and a dowel & screw replaceable gaff. Gaff length: 2 3/4". Climber with gaff weighs 1 lb. 3.6 oz. Replaceable gaff: **NB9306**.



**Steel Tree Climber SB95089**

A steel tree climber that has a contoured shank, offset stirrup and dowel & screw style replaceable gaff. Gaff length: 2 3/4". Replaceable gaff: **NB9306**.



**Narrow Stirrup SB96089A**

1/2" in width narrower and 1 1/4" shorter than our standard steel climber. The narrowest climber on the market—ideal for those that are shorter in stature and have smaller or narrower feet. Gaff length: 1 3/4". Replaceable gaff: **NB9206A**.

*Great for those who are smaller in stature or those wearing boots with a low profile heel.*



#### Black Continuous Wrap Pad for BuckAlloy™ Climber 35021-BL

Introducing the popular Cushion Wrap Pad for BuckAlloy™ Climbers with a new look! These Hook and Loop cushion wrap pads were designed to easily be put on, taken off, and adjusted.

##### MORE FEATURES:

- A 4" angled design
- Metal insert designed to keep the climber shank stationary to reduce chafing to the leg.
- 3/4" cushion padding for comfort.
- Continuous wrap. Great for rodeo competition!
- Maximum adjustability.



#### Big Buck Wrap Pad 3202

The Big Buck™ Wrap Pad is a combination of your two favorite climber pads. We have taken the adjustability of the hook and loop wrap pad, the increased surface area of the Big Buck™ pad and added a moisture wicking Dri-lex lining.

##### MORE FEATURES:

- Increased surface area to distribute pressure.
- Thick comfortable pad and moisture wicking Dri-lex lining.
- Features the adjustability of Hook and Loop Wrap Steel "C-Pad" insert for proper climber shank position.
- Rolled edge to prevent chafing.
- Compatible with Buckingham titanium & steel climbers.



#### Big Buck™ Wrap Pad for BuckAlloy™ Climber 32021C

Adjustable hook and loop with increased pad surface area and a moisture wicking Dri-lex lining. Has Hook and Loop Wrap Steel "C-Pad" insert for proper climber shank position, cinch loop to provide an extra tight fit, and a rolled edge to prevent chafing. For Big Buck™ Wrap Pads for BuckAlloy™ climbers with no cinch use **32021**. Use *p/n 3202C* for Buckingham Steel and Titanium Climbers.



#### Cushion Wrap Pad for BuckAlloy™ Climber 35021C

An angled style hook and loop pad that a continuous wrap and a metal insert to fit the BuckAlloy™ Aluminum Climbers. Measures 4" W with 3/4" padding. Use **3502C** for Buckingham Steel and Titanium Climbers.



#### Big Buck™ Climber Pad for BuckAlloy™ Climber 31181

Utilizes a double strap system that fits 1" and 1 1/4" straps to secure the pad to the calf resulting in superior support of the leg. An angled metal insert prevents the climber shank from shifting on the calf and the thick felt padding adds to the overall comfort. Comes with 2 pair of 2639 straps (Big Buck pads require 2 pair of leg straps). Measures 9" H x 12 1/2" W.



Made in the USA



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





**BuckAlloy™ Replaceable  
Dowel & Screw Tree Gaff  
A9306**

16° angled replaceable 7/16" dowel & screw tree gaffs for BuckAlloy™ Aluminum Climbers.



**BuckAlloy™ Replaceable  
Dowel & Screw Pole Gaff  
A9206A**

16° angled replaceable dowel & screw pole gaffs for BuckAlloy™ Aluminum Climbers.



**Tree Gaff  
Maintenance Kit  
6026**

Tools for inspecting and performing tree gaff maintenance. Includes smooth single cut file (6058), tree gaff gauge (6306) and finishing hone (6501).



**Tree Gaff Gauge  
6306**

Designed to correctly shape gaffs that are essential for climbing and should be your guide to proper shaping. It is compact, uncomplicated, revealing and indispensable.



**NEW**

**BuckGuard™ Retractable  
Gaff Guard (Set of 2)  
6910**

Easily attach the BuckGuard™ to the top of your climber sleeve (works with all manufacturers). The split ring on end of the wire allows for easy replacement. When ready to climb, kick the gaff guards off, and they will retract onto your pads. Max retractable length: 22".



**Magnetic Gaff Guard  
6909M2**

Our new magnetic gaff guard features a strong magnet that keeps it securely attached to all manufacturers pole and tree gaffs. Easier to find in the field.



**Buck Heel Guards  
10C**

The Buck Heel Guards help to prevent gaff wounds in the ankle area when climbing. Manufactured from 2 ply coated PVC belting for durability. PVC belting coated webbing is durable and comfortable. Compatible with all manufacture's climbers/shanks. One size fit most. Sold in pairs.



**Heavy Duty Climber Shields for  
BuckAlloy™ Climbers  
101H**

Help prevent gaff wounds in the ankle area when learning to climb. Manufactured from virgin plastic, these news shields will provide protection for years. Available in a standard size (Model 101H) and a small size (101H-S).



**Two Piece Foot Strap  
21391**

A two piece nylon foot strap with split ring. Measures: 1"W x 26" L.



**Hook & Loop Fastener Lower  
Straps  
21401C**

Soft, pliable 1 3/4" nylon. Offers an increased surface area for added comfort to the top and back of the foot. The hook and loop cinch provides a fast and easy attachment while providing the user an extra tight fit. Overall length 29".



**Buck FastStrap™ Quick Connect  
Climber Foot Straps  
21402**

Great for rodeo competitors, comfortable, convenient, and adaptable. With a hook & loop design for quick and easy adjustments while providing the user an extra tight fit. Easily adapts for use on your climbing boots, rubber boots, and winter over boots.



**Steel Insert Angled for  
Aluminum Climber  
50321**

Replacement inserts for BuckAlloy™ Aluminum Climber. Length: 7", Width: 2". Weight: 9.6 oz.



**Steel Insert Angled  
5032**

Angled replacement steel inserts. Length: 7", Width: 2". Weight: 9.6 oz.



**Steel Insert Straight  
5032S**

Straight replacement steel inserts. Length: 7", Width: 2". Weight: 9.6 oz.



**Climber Footplate  
35033**

Climber footplates compatible with any steel or titanium climber. Provide added comfort when standing on a pole. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws. Not for use with aluminum climbers.



**Sleeve Fasteners for BuckAlloy™ Aluminum  
Climbers  
A9215**

Package of four replacement barrel fasteners and screws for BuckAlloy™ Aluminum Climber sleeves. Designed for use with climbers that have smooth sleeve attachment holes.



**Climber Sleeve Fasteners  
996**

Package of four replacement 10/32 threaded sem screws for climber sleeves. Designed for use with climbers that have threaded sleeve attachment holes.



**Long Sleeve for  
Adjustable Length Climber  
9202**

Long chrome colored climber sleeves; adjust from 19 1/4" to 21 3/4" for standard length climbers, 17 1/4" to 20 1/4" for narrow stirrup climbers. Standard size.



**Climber Sleeve  
9204**

Short chrome colored climber sleeves; adjust from 16 1/4" to 18 3/4" for standard length climbers, 15" to 17 1/2" for narrow stirrup climbers.



**BuckAlloy™ Aluminum Climber  
Long Sleeves w/Fasteners  
92021**

Long climber sleeves for BuckAlloy™ Aluminum Climbers adjust from 18 3/4" to 21 1/2". Sleeve fasteners included.



**BuckAlloy™ Aluminum  
Climber Sleeves w/Fasteners  
92041**

Climber sleeves for BuckAlloy™ Aluminum Climbers adjust from 15 3/4" to 18 1/2". Sleeve fasteners included.



Made in the USA



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 03 FALL PROTECTION/ CONNECTORS /RIGGING



See the video:  
[BuckinghamMFG.com/  
videos](http://BuckinghamMFG.com/videos)

### **Buckingham TreeSqueeze™ 7+L08T18+J**

The Buckingham TreeSqueeze™ is made from the same 7/16" uniline used on our popular Buck RigidLine except we doubled the rope for extra rigidity, cut resistance and surface area. Large aluminum ring on the end allows for easy hook up to saddle with carabiner or when used with the 705A1 Prusik, the climbing line can be fed through to allow a choke on the tree. *Meets ANSI Z133-2012 requirements.*



### **Buck Multi-Purpose Lanyard 7C08DQ1-16**

One of the most versatile lanyards available on the market. This lanyard features numerous connection points for easy one-handed adjustability as a work positioning device or can be used as a mobile anchor point for rescue and creating mechanical advantage. This work positioning system allows for easy adaptation to any climbing style or need and is ready for any situation you might find your self in out in the field.



### **Buck LeverJust™ 9M8-8**

The Buck LeverJust™ is a lightweight, all aluminum adjustable positioning lanyard. Featuring Buckingham's new LeverGrab™, a one-handed length adjusting hardware device for easy adjustments under load, when climbing or working. Ideal for Ladder work, secondary use on a pole, substation work, or anything involving steel structures.

**Upgrade to Tough Rope:  
92CM8-8**



### **Up-Lanyard (16ft) 9CCQ1-16**

A great work positioning system for arborists. This lanyard is easily adjustable, users can tend slack with one hand, and provides users with numerous connection options. Available in additional lengths.





CHAINSaw  
LANYARDS

**Feel safe with knowing your chainsaw will breakaway if too much force is applied, one customer states:** "Works great! And I feel much safer knowing it will tear away if needed." – Danny



**Chainsaw Lanyard  
w/Steel Ring Attachment  
25Y12**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 1 1/8" steel ring saddle end attachment.

**Available Lengths:**

- 46"
- 48"
- 50"



**Chainsaw Lanyard  
w/Steel Ring Attachment  
25B12**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 1 1/8" steel ring saddle end attachment.

**Available Lengths:**

- 46"
- 48"
- 50"



**Chainsaw Lanyard  
w/Bronze Snap Attachment  
25Y13**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 1 1/8" steel ring saddle end attachment.

**Available Lengths:**

- 42"
- 46"
- 48"
- 50"



**Chainsaw Lanyard  
w/Bronze Snap Attachment  
25B13**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 1 1/8" steel ring saddle end attachment.

**Available Lengths:**

- 42"
- 46"
- 48"
- 50"



**Chainsaw Lanyard  
w/Carabiner Loop Attachment  
25Y14**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200lbs. of force is applied. This model features a 3/4" carabiner loop saddle end attachment.

**Available Lengths:**

- 48"
- 50"



**Chainsaw Lanyard  
w/Carabiner Loop Attachment  
25B14**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200lbs. of force is applied. This model features a 3/4" carabiner loop saddle end attachment.

**Available Lengths:**

- 48"
- 50"



Made in the USA



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

THROWBAGS

For more bags & environmentally friendly bags, visit: [BuckinghamMFG.com](http://BuckinghamMFG.com)

Buckingham throwbags have a tighter, more aerodynamic design with all seams reinforced with two rows of stitching. Available in a variety of colors and in weights ranging from 8oz - 20oz.



THROWBAG  
OPTION CHART

Combine the green numbers/ letters according to desired options. For example, a 12oz leather bag with a teardrop shape would be as follows: **16A1-12O**

Bag	Option	Weight (oz)	Color	Rubber Dip	Line (ft)
16	A1 (Teardrop)	8	O (orange)	D (Throw bag coated in yellow rubber tool dip)	100
	B (Bismuth Shot: non-toxic lead free alternative; 24% denser than steel shot and will not corrode)	10	G (Green)		150
		12	P (Hot Pink)		200
		14	B (Blue)		250
		16	R (Red)		
		20	L (Leather)		
			B5 (Blue Tnx)		
			B3 (Black Tnx)		
			G2 (Green Tnx)		
			O1 (Orange Tnx)		
			R3 (Red Tnx)		
			Y (Yellow Tnx)		


THROWLINE  
TECHNIQUES

Both of the following techniques achieve great distance and accuracy.


**THE ONE HAND METHOD:**  
The user can tie a slippery half hitch in line, waist high. This gives him a good finger hold.

**THE TWO HAND METHOD:**  
The line can be passed back through the steel ring creating two finger holds. It is then swung back and forth between the legs and tossed into the tree.

THE ONE HAND METHOD



THE TWO HAND METHOD



**NEW**

Reaches  
heights of  
over 100ft  
safely and  
effectively.

Can be easily  
replaced in  
under 20  
seconds.



#### The BuckLaunch™ 1027G

The BuckLaunch™ was specially developed to give you the ability to safely launch throw weights in an efficient, accurate, and safe manner. We know how tough it can be to accurately get your line into the canopy, especially when using the hand tossing method. The BuckLaunch™ also goes great with Buckingham's rooftop fall protection system and makes the linemen's life much easier. Manufactured here in the USA the BuckLaunch™ gives you a reliable product that was designed to be easily workable.

- Heights of over 100' can be achieved in a safe and accurate manner.
- Unlike other related products on the market, the BuckLaunch™ pouch and tubing are easily replaced and can be replaced in less than 20 seconds.
- The BuckLaunch™ is easily attached to fiberglass poles. Must be used with heavy duty grade poles.
- The BuckLaunch™ (1027G) comes with base pole & extension pole. Use PN 1027GH to order head only or for a replacement head.

**NEW**

#### BuckShot Premium Throwbag

The BuckShot Premium Throwbags were designed to be aerodynamic and durable. The two-color design featuring BuckViz™ Safety Green allows for easier visibility in the canopy. Made in the USA from durable Cordura fabric and double stitched with heavy nylon thread, providing a throwbag that will not only perform but also last! *Made in the USA with durable Cordura fabric and heavy nylon stitching.*

- Available in 8oz, 10oz, 12oz, 14oz, and 16oz. options.
- Durable nylon web loop at the bottom allowing you to use a carabiner for line attachment.
- High-quality Nickel Plated 1" ring (16A) or 3/4" D-ring (16AD) at the top.
- The two-color design allowing for easier visibility.
- Hi-Vis branding allowing you to easily identify the weight of your bags.

Weight	1" Ring at Top	3/4" D-ring at Top
<b>8oz</b>	16A-8BG	16AD-8BG
<b>10oz</b>	16A-10BG	16AD-10BG
<b>12oz</b>	16A-12BG	16AD-12BG
<b>14oz</b>	16A-14BG	16AD-14BG
<b>16oz</b>	16A-16BG	16AD-16BG



Made in the USA



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## PORT-A-WRAP

## CUSTOMER REVIEW:







"These things never go bad unless you want to run over it with a semi truck."  
—Matt

Buck PORT-A-WRAPs are compact rope friction devices designed for lowering heavy objects from height in a controlled and predictable manner. The Buck Port-A- Wrap has been widely popular among the modern-day arborist, old school arborist would lower heavy wood by wrapping the lines around



**Still  
Made in  
America!**

nearby trees causing damage to trees and often causing accidents. With the Buck Port-A-Wrap lowering heavy wood can be controlled and done at a much faster pace while also lowering the potential for an accident. The user-friendly design also makes attaching rigging line a breeze!

MODEL	MATERIAL/ COATING	SIZE	MAX ROPE CAPACITY	WEIGHT	MBS	WLL
601MN	 Nickle Plated Steel	5.5"L x 6.5"H x 1.32"OD	1/2" Rope	2 lbs.	7,000 lbf.	1,000 lbf.
601M	 Nickle Plated Steel/ Powder Coated	5.5"L x 6.5"H x 1.32"OD	1/2" Rope	2 lbs.	7,000 lbf.	1,000 lbf.
601N	 Nickle Plated Steel	7.25"L x 9"H x 1.9"OD	5/8" Rope	4 lbs.	12,000 lbf.	2,000 lbf.
601	 Nickle Plated Steel/ Powder Coated	7.25"L x 9"H x 1.9"OD	5/8" Rope	4 lbs.	12,000 lbf.	2,000 lbf.
601LN	 Nickle Plated Steel	9.5"L x 11"H x 2.4"OD	3/4" Rope	7 lbs.	12,000 lbf.	2,000 lbf.
601L	 Nickle Plated Steel/ Powder Coated	9.5"L x 11"H x 2.4"OD	3/4" Rope	7 lbs.	12,000 lbf.	2,000 lbf.
601XN	 Nickle Plated Steel	13"L x 14"H x 5.25"W x 3.5"OD	7/8" Rope	18 lbs.	60,000 lbf.	6,000 lbf.



BUCKBLOCKS™  
CLIMBING  
& RIGGING  
SYSTEMS

## CUSTOMER REVIEW:

"Buckingham is my main go-to manufacturer. They have great customer service and are great to deal with. From spikes to my saddles to blocks, Buckingham makes up 95% of my climbing tools I use in daily operations safely removing trees. Keep up the great work."  
—Mike A.

**BuckBlocks™ Climbing System  
5006S**

Designed to ease climbing while reducing premature wear on climbing lines and eliminate damage to tree limbs that are normally caused by excess friction. Lightweight and provides a better bend radius for rope and an improved running surface with its dual rotating sheaves. To be used by an individual with a maximum weight of 350lbs. when fully equipped. Sheave capacity: 1/2" climbing rope.

**BuckBlocks™ Rigging System  
5006L**

Reduces premature wear on climbing lines and eliminates damage to tree limbs normally caused by excess friction. Install the blocks into a tree without climbing: the blocks are set, and removed, from the ground or another tree using a plastic ball, a throwline and throwbag. The BuckBlocks™ Rigging System is rated to a working load limit of 3 tons. Sheave capacity: 5/8" rope.



705A1 sold separately.

**Rope Friction Saver  
60-48**

The Rope Friction Saver is less likely to tangle or foul, is light and flexible and adjustable when used with a prusik. Requires less bend radius with less friction. Reduced wear to rope. Can be used as a false crotch. Rated to 5,000lbs. Available in steel or hardcoat anodized aluminum. Used in conjunction with model **705A1** rope prusik. **FOR HUMAN SUPPORT ONLY.**

**Extreme durability; affordable; extends the life of your rope.**

**Reasons to Use a Friction Saving Device:**

- Saves tree cambium and rope from scalding through bark
- Reduces surface wear and grit forced into critical lines
- Reduces energy required to ascend on an SRT system
- Greatly enhances friction hitch response during movement and especially descent

**OX Block™  
w/Swivel Top  
50061**

The OX BLOCK™ rope snatch block with an integrated friction bar is used for hurtman rescue, lowering loads, snubbing loads, and raising loads. Replaces standard handline blocks, parted blocks and various snatch blocks. Greater working load limits than blocks of similar size. **WLL: 2500lbf**

**BuckBully™  
5007B1**

The BuckBully™ is a high strength aluminum pulley designed to be used in conjunction with the popular OX Block™ for 5/8" synthetic rope. Features a maintenance free sealed bearing, delivering effortless pulling and, side plates that are hard coat anodized and laser etched for long lasting durability. **WLL: 2500lbf**

**Buck Side Swivel™  
50071B1**

Heavy duty single sheave aluminum pulley with side swivel plate and swivel eye. Side plates are ideal for use with progress capture Prusik. 5/8" rope capacity. **WLL: 2500lbf**

**Dual Buck Side Swivel™  
50071B2**


Heavy duty **double** sheave aluminum pulley with side swivel plate and swivel eye. Side plates are ideal for use with progress capture Prusik. 5/8" rope capacity. **WLL: 2500lbf**



Made in the USA



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)




## BUCKIT™ RESTRAINT SYSTEM

The easy-to-install BuckIt™ Restraint System keeps the user secure in the bucket, while allowing freedom to move and work. The BuckIt™ Restraint system features 10,000lb rated nylon webbing and

can be used with any two dee ring belt, including arborist saddles. The system will fit single-man and man-and-a-half buckets.



**BuckIt™  
Restraint System  
126A**



**Aerial Belt  
3852Q8**

Correctly sized, snug aerial belt meets requirement for a fall restraint system. Buckingham recommends the U64937Q6 harness (on page 19).

Aerial belt for use with the 126A BuckIt™ Restraint system is made from durable 1 3/4" nylon with a tongue and buckle belt strap, 3" back pad, and two hip D rings. Max user weight rating of 350lb. Order by size (S-XL).

## BUCKIT™ RESTRAINT KIT

The 126K BuckIt™ Restraint Kit combines the 126R system with the 126R2 and the 126R4 into one kit.



**BuckIt™  
Restraint Kit  
126K**





**OSHA  
Harness-Lanyard Combo  
U64937Q6**

The harness-lanyard combo is universal in size (fits Medium – X-Large) and features Buckingham's new safety green webbing. The H-style harness has flat interlocking chest and

leg buckles to ensure comfort and *includes a 4½ foot BuckYard lanyard*, a great value add (see below). Meets ANSI Z359.11, Z359.13 and ASTM F887-13 for arc flash.



**BuckViz™ BuckYard™  
84V1D16S1**

More models, lengths, etc. are available at  
**BuckinghamMFG.com.**

Introducing the new BuckViz™ BuckYard™, the same product as the popular BuckYard™ (84V114S1) but in Buckingham's new high-vis green! For full body harness w/web loop dorsal attachment. Expands to 48". 1706 locking snap hook on one end and web loop on the other end. Interior materials stretch to reduce the arresting force to less than 900 lbs.



**X-Style Harness  
603E3700J12**

Introducing the new BuckViz Safety Green™ "X" Style Full Body Harness. This harness replaces Buckingham's 603E3700R3 "X" style harness.

\*Also available with steel D-ring:  
**603E3600J12**

\*Rated to 420 lbs. when used with  
equivalently rated accessories.

**FEATURES:**

- "X" Style.
- Interlocking torso and leg strap buckles.
- Reinforced web loop dorsal attachment.
- Adjustable torso buckles for proper fit.
- reinforced frontal web loop.
- Made for strong nylon webbing.



**Made in the USA**



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**H-Style Mini BuckFit™ Harness**  
**68D98C700K3**

H-Style Mini BuckFit™ Harness features a patented split tongue buckle and leather chafes on chest and leg straps. This harness has a web dorsal loop attachment and friction buckle mounted on vertical shoulder strap for height adjustments.



**BuckArrest™**  
**64V114.5S2**

For full body harness w/web dorsal loop attachment. 16" shock pack covered by a water resistant nylon tube. Lanyard is a fixed length made from woven nylon with a locking snap hook on one end and web loop on the

other end. Length: 4.5'. For harnesses with a Steel Ring Dorsal Attachment, order Model **6VV114.5S2** for lanyard with snap hooks on both ends.



**Hurtman Bucket Truck  
Rescue System**  
**3813D1Q6**

The new BuckViz Safety Green™ bag allows you to deploy the system components from the bottom of the bag rather than reaching all the way to the top of the bag; saving you valuable time in a rescue situation. The new bag was also specifically designed to keep water out of the system allowing it to be permanently mounted to the boom while reducing the possibility of moisture damage to critical components. This design also

prevents the kit components, like the rope and pulley system from inadvertently coming out of the storage bag.

The Buck Hurt Man Rescue system was developed to easily lift an injured or unconscious worker from an aerial basket using a 4:1 mechanical advantage pulley system.



**Self Rescue System**  
**301SR**

**Also available with two descenders for two-man buckets.**

Self Rescue system that features a new lightweight, compact design. The lightweight descender is manufactured from aircraft grade aluminum and features an anti panic release brake which will stop the descender if the user releases or compresses the

descender all the way. The TVAC descent line measures 6.8mm and is compact and stands up to heat on long descents. System is packed in a weather resistant nylon bag with mesh bottom to let moisture escape. Comes with two rappelling straps.

**BuckStep™ 2.0**  
**105RSDK1**



The BuckStep™ 2.0 is a two-part BuckStep™ suspension trauma relief system designed to alleviate the effects of orthostatic intolerance, also known as suspension trauma. It can be used by users up to 420 lbs. and can be used by either right-handed or left-handed users. This product allows a victim to immediately deploy a body support system that allows for improved blood circulation and the ability to

move and flex muscles until rescue.

The BuckStep™ 2.0 Suspension Trauma System is compact and easy to attach to a full body harness. With small/compact pouches, just 4 ½" x 2" in size. Lightweight- 3.4 oz. (each), 6.8 oz. (pair).

**AERIAL  
BASKET COVER**

Vinyl coated nylon cover wraps snugly around standard one-man buckets with a heavy duty sewn in bungee cord and snap to secure itself to the bucket. Includes one grommet hole. Fits up to a 29" square bucket.

Also available with a rigid fiberglass insert, which is perfect for days with heavy snow or heavy rain. Order PN **454551**.



**Aerial Basket Cover**  
**Safety Green**  
**4545G9**



**Aerial Basket Cover**  
**Black**  
**4545B3**

**Chainsaw  
Scabbard**  
**4514W**

Buckingham's Fiberglass Chainsaw Scabbard has been given a makeover! All fiberglass products are now available in our new and popular safety green color.

The 4514W Chainsaw Scabbard was designed for durability. We took our 4514 chainsaw scabbard and reinforced the chainsaw pocket with 2 layers of durable fiberglass. Adding a chainsaw scabbard to your bucket truck arsenal will allow you to easily access your chainsaw within arm's length.

- Designed to hold most chainsaws.
- Mounts on the inside or the outside of the bucket.
- Reinforced Pocket and sides.
- Springs prevent the scabbard from falling off.



**Tool Tray**  
**4510**

A fiberglass storage tray that may be hung on the inside or outside of an aerial basket. Can be used to conveniently store cabling and other miscellaneous equipment. Mounts using one pair of **5334** PVC hooks (included).



**Chainsaw Holder**  
**for Round Booms**  
**4531R**

Accepts chainsaw head and features a ratchet closure to attach to boom. A foam back prevents slippage.



**Handle Holder**  
**for Square Booms**  
**45301R**

Accepts chainsaw head and features a ratchet closure to attach to boom. A foam back prevents slippage.




**Made in the USA**



**WARNING:** Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 05 EQUIPMENT BAGS/ ROPE BAGS

Photo courtesy of:  
Dave Katz, Cornell Tree Climbing Institute

### BUCK BIG MOUTH BAG

The Buck Big Mouth Bag is a new and improved equipment bag with an extended wide mouth to make it easier and faster for workers to store all of their PPE, gear, tools, and other items in their bag with ease. *No more struggling to get your essentials into your bag and no more fighting to get it closed.*

**Lockable option available: 47333G9L3R5S and 47333B3L3R5S**



**Buck Big Mouth Bag**  
15½" Opening

**Standard Bag**  
10" Opening



**Buck Big Mouth Bag**  
(Safety Green)  
47333G9R5S



**Buck Big Mouth Bag**  
(Black)  
47333B3R5S

**Measures:**  
22"L x 15.5"W x 19"H



**Buck Big Mouth Bag**  
w/Wheels (BuckViz™ Green)  
47333G9R5SW3

**Buck Big Mouth Bag**  
w/Wheels (BuckViz™ Green)  
47333B3R5SW3

The same extended wide mouth as our regular Buck Big Mouth™ Bag but with the added features of Buckingham's new wheel design, which adds an additional two wheels and places the wheels farther apart. This product improvement was based on feedback from the field and makes the bag more stable and gives it a smoother ride when using the wheel function. This Buck equipment bag also features:

- A heavy vinyl coated nylon construction.
- 2" molded rubber lip that prevents water from seeping into the bottom of the bag.
- Durable for all types of weather conditions.
- Adjustable shoulder strap with pad for comfort.
- Two side pockets with one featuring elastic tool holders for organization.
- Top grain reinforced leather straps that are double riveted.
- Industrial weight nickel plated snaps on pockets.
- Heavy duty nylon web handles sewn around the bag for accessible carrying.
- Measures 24" L x 19" H.



## BUCKPACK™ EQUIPMENT BACKPACK



Available with  
Wheels and Pull Handle!  
(See next page)  
4470G9W1

### SMALL



**Front Pocket  
Measures::**  
12"L x 12"W

**Side Pocket  
Measures::**  
10"L x 6"W



### BuckPack™ Equipment Backpack 4470G9

 **ORANGE:**  
4470O1

 **BLACK:**  
4470B3

### LARGE



**Front Pocket  
Measures::**  
14"L x 15.5"W

**Side Pocket  
Measures::**  
20"L x 7"W



### BIG BuckPack™ Equipment Backpack 4471B3

 **ORANGE:**  
4471O1

 **SAFETY GREEN:**  
4471G9



### Buck XL Haul Bag 4370B14

The Buck Haul Bag is constructed of 44oz Vinyl and is designed for the Arborist, Tower Worker, or Rope Technicians.

- MOLLE webbing on the exterior and interior of the bag provides organization.
- Metal buckles and snaps that will far out last plastic components and an ergonomic back pad that easily removes for travel or storage.
- Climbing spec webbing used to reinforce all seams and wear points with an inside mesh pocket for extra storage
- Large drawstring opening/closing system for optimal fit of stored gear.
- Fits 200' of 1/2" rope.
- Measures: 13" Diameter x 27" High.

### Buck Haul Bag

The Buck Haul Bag is constructed of 44oz Vinyl and is designed for the Arborist, Tower Worker, or Rope Technicians.



- MOLLE webbing on the exterior and interior of the bag provides organization.
- Metal buckles and snaps that will far out last plastic components and an ergonomic back pad that easily removes for travel or storage.
- Climbing spec webbing used to reinforce all seams and wear points with an inside mesh pocket for extra storage
- Large drawstring opening/closing system for optimal fit of stored gear.

 **BuckViz™ Green**  
4371G9

 **Black**  
4371B14



Made in the USA

## BAGS WITH WHEELS



**Black**  
**4471B3W1**

**BuckViz™ Green**  
**4471G9W1**

### **BIG BuckPack™** **Equipment Backpack w/Wheels**

Features Buckingham's new wheel design, which adds an additional two wheels and places the wheels farther apart. This product improvement was based on feedback from the field and makes the bag more stable and gives it a smoother ride when using the wheel function. Bag features:

- A durable molded plastic bottom.
- Constructed with heavy duty vinyl coated nylon for long lasting durability.
- A hook and loop closure secures contents inside while a zippered rain flap keeps water out of the bag.
- Padded shoulder straps provide comfort.
- Comes with a padded adjustable chest strap.
- Heavy duty wheels and a pull handle to use as a drag bag.
- Can also be carried by the handles at the top of the bag.
- Measures:: 24"H x 22"W

**Available  
in Smaller Size  
(22"H x 15"W):**

**BuckViz™ Green:**  
**4470G9W1**

**Orange:**  
**4471O1W1**



**Orange:**  
**41333O1R5W1**

### **Equipment Bag** **45333G4R5SW1**

Features Buckingham's new wheel design, which adds an additional two wheels and places the wheels farther apart. This product improvement was based on feedback from the field and makes the bag more stable and gives it a smoother ride when using the wheel function. This Buck equipment bag also features:

- New nylon side handle
- Constructed of a durable Cordura nylon.
- 1/4" double tempered Masonite bottom for durability in all weather conditions.
- 2" molded rubber lip that prevents water from seeping into the bottom of the bag.
- Durable for all types of weather conditions.
- Adjustable shoulder strap with pad for comfort.
- Two large side pockets.
- Top grain reinforced leather straps that are double riveted.
- Industrial weight nickel plated snaps on pockets.
- Heavy duty nylon web handles sewn around the bag.

## CANVAS CAMO BAGS W/WHEELS

**Measures::**  
**24"L X 11"W X 19"H**

Features 6" heavy duty rubber wheels and retractable handle. Ideal for transporting equipment in rough terrain. New nylon side handle. Constructed of a durable Cordura nylon. 1/4" double tempered Masonite bottom for durability in all weather conditions. 2" molded rubber lip that prevents water from seeping into the bottom of the bag. New heavy duty wheels make this ideal for toting in rough terrain.



**Camo Canvas Bag**  
**41333C7R5W3**



**Digital Camo Canvas Bag**  
**41333C9R5W3**





**BackPack  
Rope Bag  
4469G4P-150**

Has padded shoulder straps  
QC chest strap that helps maintain position  
and comfort of bag while climbing. 3 outside  
mesh pockets with hook and loop closure  
allows user to find hardware and equipment

fast and efficiently. Quick adjust friction  
buckles allow for easy adjustment of straps  
to find a perfect fit. The fairlead drawstring  
allows for a secure closure and a carry  
handle, provides alternative grab and carry.

Suffix:	-120	-150	-200	-225	-300
Rope Length:	120' of 5/8" Rope	150' of 5/8" Rope	200' of 5/8" Rope	225' of 5/8" Rope	300' of 5/8" Rope



**XL RopePro™ Deluxe  
Pack Attachment  
4375**  
Quickly converts a RopePro™  
deluxe bag into a backpack or  
climbing duffel.



**XL RopePro™ Deluxe  
4373**  
The XL RopePro™ Deluxe  
Bag is water resistant that  
helps keep equipment dry  
with a rope access port  
located in the lid with a cap  
to keep dirt and water out.  
Ventilation panels provide air  
circulation and quick glance  
identification of material. This  
bag is perfect for the road  
and can hold up to 500' of  
rope. 23"H x 14"W x 22"D.  
Weight: 4lbs.



**Large RopePro™ Deluxe  
4374**  
The large RopePro™ Deluxe  
Bag is water resistant that  
helps keep equipment dry  
with a rope access port  
located in the lid with a cap  
to keep dirt and water out.  
Ventilation panels provide air  
circulation and quick glance  
identification of material. This  
bag is perfect for the road  
and can hold up to 500' of  
rope. 16"H x 14"W x 16"D.  
Weight: 3.2lbs.



**Safety Green  
BuckTube™ Rope Bag  
4369G9**



**Black  
BuckTube™ Rope Bag  
4369B3**

**BuckTube™  
Rope Bag**

The BuckTube™ Rope bag is an Ultra-Light but heavy duty Leg Mountable Rope Bag for easy  
access to rope when climbing.

**Features:**

- Made with heavy duty 40 oz. Vinyl with seams that are double reinforced with MOLLE webbing for easy adjustability to elastic straps.
- Two 2" elastic straps for easy fastening to the users leg regardless of size or shape.
- Zippered expansion sleeve and reinforced sides allow for easy stuffing of climbing line.
- A large bottom grommet allows both ends of rope to be utilized during rescue or other operations.
- The Drawstring closure skirt allows for easy deployment and storage while aloft.
- Can be worn in various ways such as attached to leg or to a saddle (Saddle requires 2 carabiners).
- Holds 150' of 11mm Line such as Velocity, Blaze or Tachyon, 120' of 1/2" High Vee or Blue streak and a plethora of other lines.



Made in the USA



WARNING: Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Buck Rope Bucket**  
**4769G9-150**

The sturdy construction allows for your rope to be accessed with ease. Convenient drawstring closure to easily protect your rope from weather conditions. Durable carry handles made from heavy duty nylon. Inner D-rings for easy line access. Clear window pocket for labeling your bag. Measures: 15 3/5" H x 12" Dia.



**Buck**  
**Throwline Bag**  
**4468G9**

The Buckingham ProSeries throw line deployment bag now available in the popular Hi-Vis Green allows the user to conveniently store multiple throw lines in one bag without tangling. Measures: 9" H x 12" Dia.

BUCK ROPE BAG

Features a drawstring closure top and two large carry handles. Durable rubber bottom rubber gliders to help maintain form and keep bag off the ground preventing moisture from seeping in through the bottom. Heavy duty nylon carry handles with reinforced nylon stitching. Measures: 15" H x 12" Dia.



**BuckViz™ Buck**  
**Rope Bag**  
**45691G4-150**



**Black Rope Bag**  
**45691B4-150**



**Red Buck Rope Bag**  
**45691R2-150**



**Buck Frisbee**  
**44R1**

Ideal for separating multiple throw lines in the throw line deployment bag, sewn in rope helps keep the throw line in place. Measures: 10 1/2" dia.



**Rope Tarp**  
**4597**

Ideal for keeping climbing, rigging and throw lines free from dirt and debris while on the job site. Measures: 58"x46" and accommodates up to 150' of 1/2" rope. Nylon loops on each end can be used to secure the end of lines. Heavy duty nylon holds up in tough

environments. Hook & Loop Fastener closure, and nylon straps with quick connect snaps keeps contents securely stored while making transport easy. Measures: 58" L x 46" W.



MESH BAGS

The popular Buckingham mesh equipment bag has a new look. Now available in Hi-Vis Green comes in a variety of different sizes for every piece of equipment from small tools and hardware to saddles, rope and climbers our mesh bags can hold it. Buckingham's mesh bag makes it easy to locate

items within the bag while allowing airflow pass through to keep things from smelling after a day in the field. Airflow allows for equipment to dry while being stowed. Extremely lightweight. Easily find equipment in your bag without digging everything out.



BuckViz Green	
9"	45400G10-9
12"	45400G10-12
18"	45400G10-18
24"	45400G10-24
30"	45400G10-30



Red	
9"	45400R6-9
12"	45400R6-12
18"	45400R6-18
24"	45400R6-24
30"	45400R6-30



Black	
9"	45400B8-9
12"	45400B8-12
18"	45400B8-18
24"	45400B8-24
30"	45400B8-30



Green	
9"	45400G1-9
12"	45400G1-12
18"	45400G1-18
24"	45400G1-24
30"	45400G1-30



Made in the USA



WARNING: Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Saw	Saw Model	65156C (p 24)	6515 (p 26)	6515C (p 26)	6515P (p 26)	6515CP (p 26)	6015 (p 27)	6015C (p 27)	6223 (p 25)	6223C (p 25)	6517 (p 27)	6517C (p 27)	6515S (p 27)	6515CS (p 27)	6222 (p 25)	6222C (p 25)
Corona	7100-1 AC7249 AC7241	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Fanno	16 20								✓	✓					✓	✓
Gilmour	20, 20B 2011 2011B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Hastings	P11004	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Jameson	SB-1C SB-2 SB-4 SB-5U PS-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Marvin	S-17 S-18 S-19 S-20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

Subject to change - if you have questions, always verify through [BuckinghamMFG.com](http://BuckinghamMFG.com) or through our customer service department.

Additional axe covers, pruner covers and circular saw guards are available at [BuckinghamMFG.com](http://BuckinghamMFG.com).



**Chainsaw Scabbard**  
 \ Belting: **60212C**  
 \ Leather: **60212**

Prevents damage to chain and other equipment. For use with bar lengths from 12" to 14". 12 3/4" (32cm) overall length, 12" (30cm) pocket depth.



**Chainsaw Scabbard**  
 \ Belting: **6022C**  
 \ Leather: **6022**

For use with bar lengths from 16" to 20". 18 1/4" (46cm) overall length, 17" (45cm) pocket depth.





**Pole Saw Scabbard**  
**\ Belting: 65156C**

Fits Fanno blades #16 and #17 as well as Mundo Pruning saws. 16" (41cm) overall length, 16" (41cm) pocket depth, 4" (10cm) wide.



**Dual Saw Scabbard**  
**\ Belting: 6223C**  
**\ Leather: 6223**

For curved blade pruning saws with up to a 24" blade. 26" (66cm) overall length. 21" (53cm) pocket depth. Small Pocket: Fits curved blade pruning saws up to a 16" blade. 17" (43cm) overall length. 21" (53cm) pocket depth.



**Saw Scabbard**  
**\ Belting: 622C**  
**\ Leather: 6222**

Fits curved blade hand saws with a 22" and 24" blade. 26" (66cm) overall length. 21" (53cm) pocket depth.



**Straight Saw Scabbard**  
**\ Belting: 6208C**  
**\ Leather: 6208**

Fits pruning saws with a 22" to 26" blade length. 26" (66cm) overall length. 19 1/2" (50cm) pocket depth.



**Saw Scabbard**  
**\ Belting: 6226C**  
**\ Leather: 6226**

Fits curved blade hand pruning saws with a 26" blade. 30" (78cm) overall length. 26" (53cm) pocket depth.



**Saw Scabbard**  
**\ Belting: 6515C**  
**\ Leather: 6515**

Fits curved blade hand pruning saws with up to a 16" blade. 3 1/2" (9cm) x 19 3/4" (50cm) overall length. 3" (8cm) x 15" (38cm) pocket depth.



**Straight Saw Scabbard**  
**\ Belting: 6016C**  
**\ Leather: 6016**

Fits straight blade hand pruning saws with up to a 16" blade. 19 1/2" (49cm) overall length. 14 1/2" (37cm) pocket depth.



**Saw Scabbard**  
**\ Belting: 6515CP**  
**\ Leather: 6515P**

Holds curved blade hand pruning saws with up to a 16" blade. A leather pruner pouch is included. Scabbard: 3 1/2" (9cm) x 19 3/4" (50cm) overall length. 3" (8cm) x 15" (38cm) pocket depth.



**Saw Scabbard**  
**\ Belting: 60156C**

Pole saw scabbard fits Fanno Blade F1-17S. 16" (41cm) overall length, 16" (41cm) pocket depth, 4" (10cm) wide.



**Leg Mounted Pruning Saw Scabbard**  
**Leather Curved Handle: 6515S**  
**Rubberized Belting Curved Handle: 6515CS**  
**Leather Straight Handle: 6016S**  
**Rubberized Belting Straight Handle: 6016S**



**Pole Saw Scabbard**  
**\ Belting: 6015C**  
**\ Leather: 6015**

Prevents damage to saw blades and other equipment when not in use. 3 1/2" (9cm) x 16" (41cm) overall length, 3" (8cm) x 15" (38cm) pocket depth.



**Climbing Pole Saw Scabbard**  
**\ Belting: 6517C**  
**\ Leather: 6517**

Clip the scabbard onto your belt, slip your pole saw into the scabbard and fasten the strap.



Made in the USA



Photo courtesy of:  
Dave Katz, Cornell Tree Climbing Institute

## 07 ROPE SNAPS/ HARDWARE

3600lbs Gate  
Triple Action/  
Meets ANSI  
Z359.12-2009  
Requirements



**Aluminum Carabiner  
w/3600lbs Gate  
5555S7**

Triple Action.  
Length: 4.72" (120mm),  
Opening: 0.94" (24mm),  
Breaking Strength:  
6,744lbs (30kN)



**Aluminum Carabiner  
w/3600lbs Gate  
5555S3**

Triple Action.  
Length: 4 7/8" (123.83mm),  
Opening: 3/4" (19.05mm),  
Breaking Strength:  
6,744lbs (30kN)



**Aluminum Triple Action  
Carabiner  
5555S4**

Triple Action.  
Length: 5 5/8" (142.88mm),  
Opening: .63" (16mm),  
Breaking Strength:  
6,744lbs (30kN)



**Auto Lock Steel  
Carabiner w/3600 Rated  
Gate Keeper  
5005**

Triple Action  
Length: 4.88" (124mm),  
Opening: .94" (24mm),  
Breaking Strength:  
9,218lbs (41kN)

3600lbs Gate Double Action/  
Meets ANSI Z359.12-2009  
Requirements



**Aluminum Carabiner  
w/360lb Gate  
5555S2**

Length: 4.80" (122mm),  
Opening: .78" (20mm),  
Breaking Strength:  
6,744lbs (30kN)



**Steel Twist Lock  
Carabiner  
5005L1**

Length: 7<sup>5</sup>/<sub>8</sub>" (193.68mm),  
Opening: 2<sup>1</sup>/<sub>8</sub>" (53.98mm),  
Breaking Strength:  
8,992lbs (40kN)



**Ball Lock Aluminum  
Carabiner  
5555SA**

Length: 4 5/8" (117.48  
mm)  
Opening: 1" (25.4 mm)  
Breaking Strength:  
6,295lbs (28 kn.)



**William Ball Lock  
Aluminum Carabiner  
5555WSA**

Length: 4 5/8" (117.48mm)  
Opening: 1 1/8" (28.58mm)  
Breaking Strength:  
5,625lbs (25kn)

NON 3600lbs Gate Triple  
Action/ Meets ANSI Z359.12-  
2009 Requirements



**Tri-Act Carabiner  
5555W1**

Length: 4 5/8" (117.48mm)  
Opening: 1 1/8"  
(28.58mm)  
Breaking Strength:  
5,625lbs. (25kn)



**AM'D Aluminum  
Carabiner  
5555S1**

Length: 4 3/8" (111.13 mm)  
Opening: 7/8" (22.23mm)  
Breaking Strength:  
6,295lbs (28 kn.)



Made in the USA



WARNING: Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Twist Lock Steel Carabiner  
5005T**

Length: 4.38" (111.3 mm)  
Opening: .94" (24mm)  
Breaking Strength: 51(kN)  
WARNING: NOT INTENDED FOR  
HUMAN SUPPORT OR FALL  
PROTECTION



**Non-Locking Aluminum Carabiner  
5005NA**

Length: 4.5" (114 mm)  
Opening: 1.1875" (30 mm)  
Breaking Strength:  
5000lbs (22 kn)  
WARNING: NOT INTENDED FOR  
HUMAN SUPPORT OR FALL  
PROTECTION



**Auto Lock Aluminum Carabiner w/  
Eye  
5005SAE**

Length: 5.25" (133 mm)  
Opening: .71" (18 mm)  
Breaking Strength:  
5620 lbs. (25.5 kn)

LOCKING ROPE  
SNAP

**1706**

1" (25mm) eye, 15/16" opening, 6" (152mm) long. Rated to 5000 lbf. (22kn) or when using suffix +Z in part number, Model **17061** Locking Rope Snap with a 3600 lb gate load



**Locking Rope Snap  
1706**

LOCKING ROPE  
SNAP

Forged Aluminum Snap Hook. Meets ANSI Z359.1. 16kn/3600LB Gate Strength. Double Action/Self Locking Gate Mechanism. Minimum breaking strength 23Kn/5171 LBS. Weighs 10.7 oz.



**Locking Rope Snap  
1718**

SPREADER  
SNAP HOOK

1" (25 mm) eye, 9" (229 mm) Long, 5/8" (16 mm) opening. Rated to 5000 pounds (22 kn.)



**Spreader Snap Hook  
3032L**



## ALLOY STEEL ROTOSNAP

.670" (17mm) gate opening, 5 3/16" (132mm) long, 11.2 oz. weight. Min. tensile strength 10,000 lbs. and min gate/side load 5000 lbs.



**Alloy Steel RotoSnap  
1711**

## LOCKING LADDER SNAP

### CUSTOMER REVIEW:

"Every tree company I've worked for uses Buckingham equipment! Quality over quantity all day!"  
—Will M.

1" (25mm) eye (I.D.), 2.5" (64mm) opening, 9.5" (241mm) length, 1 lb. 7 oz. weigh. Rated to 5000 lbs. (22kn) or, when using suffix +Z in part number, Model 30351 Locking Rope Snap with a 3600 lb gate load.



**Locking Ladder Snap  
30351**

## LARGE LOCKING SNAP HOOK

15/16" (24mm) eye (I.D.), 3 11/32" (85mm) opening, 13" (330mm) length. Rated to 5000 lbs.



**Large Locking  
Snap Hook  
30342**

## MISC. HARDWARE



### Thimbles

1. 5/8" (16mm) plastic: 350411
2. 1/2" (13mm) plastic: 350410
3. 1/2" (13mm) plastic: 350408
4. 1/2" (13mm) plastic: 350409



**Product Name**  
\ With Ears: 5009E  
\ Without Ears: 5009



Made in the USA



**Buck Tree T-Shirt  
TreeShirt**



**Buck  
Carhart Jacket  
5555CT**



**Buck Golf Shirt (BuckViz™)  
SHIRT18-SIZE**



**Buck Golf Shirt (Black)  
SHIRT12-SIZE**



**Buck Golf Shirt (White)  
SHIRT14-SIZE**



Buck Sweatshirt  
SSHIRTH



Buck T-Shirt (Green)  
SHIRT2-SIZE



Buck LS T-Shirt (Green)  
SHIRT1-SIZE



Buck Hardhat (White)  
HARDHATW



Buck Hardhat (Green)  
HARDHATG



Buck Beanie (Green)  
1B-G



Buck Safety Green Trucker Hat  
SGTRUCKHAT



Professional™ Series  
Buckingham Hat  
CARHARTTHAT-BL



Professional™ Series Buckingham  
Hat  
CARHARTTHAT-BR



Buck Koozie  
KOOZIE



"Buckingham"  
Carabiner Keychain  
5005NK



Buckingham Retro  
Leather Keychain  
4004



Buckingham "Buck"  
Pro V1 Golf Ball  
(3 Pack)  
GOLFBALL



Buckingham Heritage  
Coaster Set (4 or 8)  
COASTER-4 / COASTER-8



Made in the USA



WARNING: Cancer and Reproductive Harm For All Products on Page – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**FREE  
SHIPPING**  
on Arborist Products

Use Code:  
**ARBORISTMINI**

BUCKINGHAM  
**BUCK**  
1896

Photo courtesy of:  
Dave Katz, Cornell Tree Climbing Institute

[BuckinghamMFG.com](http://BuckinghamMFG.com)